Index of Authors

Abalos, A.T. *see* Davis, A.O.
Abbruscato, P. *see* Ranalli, G.
Abriouel, H. *see* Yousif, N.M.K.
Adams, M.R. *see* Tree, J.A.
Ahmed, W., Neller, R. & Katouli, M. Evidence of septic system failure determined by a bacterial biochemical fingerprinting method, 910
Alfano, G. *see* Ranalli, G.
Altavilla, N. *see* Davies, C.M.
Amado, F. *see* Silva, J.
Antal, T.K. & Lindblad, P. Production of H_2 by sulphur-deprived cells of the unicellular cyanobacteria *Gloeocapsa alpicola* and *Synechocystis* sp. PCC 6803 during dark incubation with methane or at various extracellular pH, 114
Antunovics, Z., Irinyi, L. & Sipiczki, M. Combined application of methods to taxonomic identification of *Saccharomyces* strains in fermenting botrytized grape must, 971
Aono, T. *see* Suzuki, C.
Aouissaoui, H. *see* Kamoun, F.
Appleton, H. *see* Dawson, D.J.
Araujo, R. *see* Queralt, N.
Arneborg, N. *see* Brejning, J.
Arqués, J.L., Rodríguez, E., Gaya, P., Medina, M., Guamis, B. & Nuñez, M. Inactivation of *Staphylococcus aureus* in raw milk cheese by combinations of high-pressure treatments and bacteriocin-producing lactic acid bacteria, 254
Arraj, A., Bohatier, J., Laveran, H. & Traore, O. Comparison of bacteriophage and enteric virus removal in pilot scale activated sludge plants, 516
Aruna, A. *see* Chand, P.
Ashbolt, N.J. *see* Davies, C.M.
Assunção, P., Diaz, R., Comas, J., Ruiz de Galarreta, C.M., González-Llamazares, O.R. & Poveda, J.B. Evaluation of *Mycoplasma hyopneumoniae* growth by flow cytometry, 1047
Asther, M. *see* Halaouli, S.
Asther, Mi. *see* Halaouli, S.
Auffray, Y. *see* Le Breton, Y.
Augagneur, Y. *see* Remize, F.
Austin, B. *see* Zhang, X.-H.
Avery, L.M., Killham, K. & Jones, D.L. Survival of *E. coli* O157:H7 in organic wastes destined for land application, 814
Avery, L.M. *see* Williams, A.P.
Aymerich, T. *see* Martin, B.
Ayyadurai, N. *see* Sunish Kumar, R.

Bach, S.J., Selinger, L.J., Stanford, K. & McAllister, T.A. Effect of supplementing corn- or barley-based feedlot diets with canola oil on faecal shedding of *Escherichia coli* O157:H7 by steers, 464
Bae, I.K. *see* Jeong, S.H.
Baker, M.G. *see* Devane, M.L.
Baker, P.W. & Leff, L.G. Intraspecific differences in bacterial responses to modelled reduced gravity, 1239
Ball, A. *see* Devane, M.L.
Bartolomé, R. *see* Queralt, N.
Baylis, M. *see* Goldmann, W.
Becher, D. *see* Wesche, J.
Belli, C. *see* Ranalli, G.
Belli, N., Ramos, A.J., Coronas, I., Sanchis, V. & Marín, S. *Aspergillus carbonarius* growth and ochratoxin A production on a synthetic grape medium in relation to environmental factors, 839
Belloch, C. *see* Pina, C.
Beneduce, L. *see* Spano, G.
Benkerroum, N., Daoudi, A., Hamraoui, T., Ghalfi, H., Thiry, C., Duroy, M., Evrart, P., Roblain, D. & Thonart, P. Lyophilized preparations of bacteriocinogenic *Lactobacillus curvatus* and *Lactococcus lactis* subsp. *lactis* as potential protective adjuncts to control *Listeria monocytogenes* in dry-fermented sausages, 56
Bergmaier, D., Champagne, C.P. & Lacroix, C. Growth and exopolysaccharide production during free and immobilized cell chemostat culture of *Lactobacillus rhamnosus* RW-9595M, 272
Bernal, A. *see* Ros, M.
Berry, E.A. *see* Hillerton, J.E.
Bester, R. *see* Du Plessis, K.R.
Bettelheim, K.A., Kuzevski, A., Gilbert, R.A., Krause, D.O. & McSweeney, C.S. The diversity of *Escherichia coli* serotypes and biotypes in cattle faeces, 699
Biondo, C. *see* Carbone, M.
Blackall, P.J. *see* Chinivasagam, H.N.
Blair, I.S. *see* Moriarty, E.M.
Blanch, A.R. *see* García-Aljaro, C.
Boekhorst, J. *see* Smid, E.J.
Bohatier, J. *see* Arraj, A.
Bolton, D.J. *see* Pearce, R.A.
Bonaduce, I. *see* Ranalli, G.
Bonilla, M., Olivaro, C., Corona, M., Vazquez, A. & Soubes, M. Production and characterization of a new bioemulsifier from Pseudomonas putida ML2, 456
Bonjoch, X. *see* García-Aljaro, C.
Bore, E. & Langsrud, S. Characterization of microorganisms isolated from dairy industry after cleaning and fogging disinfection with alkyl amine and peracetic acid, 96
Borgo, P. *see* Combina, M.
Botha, A. *see* Du Plessis, K.R.
Boyd, E.F. *see* Reen, F.J.

Index of Authors

Abalos, A.T. *see* Davis, A.O.
Abbruscato, P. *see* Ranalli, G.
Abriouel, H. *see* Yousif, N.M.K.
Adams, M.R. *see* Tree, J.A.
Ahmed, W., Neller, R. & Katouli, M. Evidence of septic system failure determined by a bacterial biochemical fingerprinting method, 910
Alfano, G. *see* Ranalli, G.
Altavilla, N. *see* Davies, C.M.
Amado, F. *see* Silva, J.
Antal, T.K. & Lindblad, P. Production of H_2 by sulphur-deprived cells of the unicellular cyanobacteria *Gloeocapsa alpicola* and *Synechocystis* sp. PCC 6803 during dark incubation with methane or at various extracellular pH, 114
Antunovics, Z., Irinyi, L. & Sipiczki, M. Combined application of methods to taxonomic identification of *Saccharomyces* strains in fermenting botrytized grape must, 971
Aono, T. *see* Suzuki, C.
Aouissaoui, H. *see* Kamoun, F.
Appleton, H. *see* Dawson, D.J.
Araujo, R. *see* Queralt, N.
Arneborg, N. *see* Brejning, J.
Arqués, J.L., Rodríguez, E., Gaya, P., Medina, M., Guamis, B. & Nuñez, M. Inactivation of *Staphylococcus aureus* in raw milk cheese by combinations of high-pressure treatments and bacteriocin-producing lactic acid bacteria, 254
Arraj, A., Bohatier, J., Laveran, H. & Traore, O. Comparison of bacteriophage and enteric virus removal in pilot scale activated sludge plants, 516
Aruna, A. *see* Chand, P.
Ashbolt, N.J. *see* Davies, C.M.
Assunção, P., Diaz, R., Comas, J., Ruiz de Galarreta, C.M., González-Llamazares, O.R. & Poveda, J.B. Evaluation of *Mycoplasma hyopneumoniae* growth by flow cytometry, 1047
Asther, M. *see* Halaouli, S.
Asther, Mi. *see* Halaouli, S.
Auffray, Y. *see* Le Breton, Y.
Augagneur, Y. *see* Remize, F.
Austin, B. *see* Zhang, X.-H.
Avery, L.M., Killham, K. & Jones, D.L. Survival of *E. coli* O157:H7 in organic wastes destined for land application, 814
Avery, L.M. *see* Williams, A.P.
Aymerich, T. *see* Martin, B.
Ayyadurai, N. *see* Sunish Kumar, R.

Bach, S.J., Selinger, L.J., Stanford, K. & McAllister, T.A. Effect of supplementing corn- or barley-based feedlot diets with canola oil on faecal shedding of *Escherichia coli* O157:H7 by steers, 464
Bae, I.K. *see* Jeong, S.H.
Baker, M.G. *see* Devane, M.L.
Baker, P.W. & Leff, L.G. Intraspecific differences in bacterial responses to modelled reduced gravity, 1239
Ball, A. *see* Devane, M.L.
Bartolomé, R. *see* Queralt, N.
Baylis, M. *see* Goldmann, W.
Becher, D. *see* Wesche, J.
Belli, C. *see* Ranalli, G.
Belli, N., Ramos, A.J., Coronas, I., Sanchis, V. & Marín, S. *Aspergillus carbonarius* growth and ochratoxin A production on a synthetic grape medium in relation to environmental factors, 839
Belloch, C. *see* Pina, C.
Beneduce, L. *see* Spano, G.
Benkerroum, N., Daoudi, A., Hamraoui, T., Ghalfi, H., Thiry, C., Duroy, M., Evrart, P., Roblain, D. & Thonart, P. Lyophilized preparations of bacteriocinogenic *Lactobacillus curvatus* and *Lactococcus lactis* subsp. *lactis* as potential protective adjuncts to control *Listeria monocytogenes* in dry-fermented sausages, 56
Bergmaier, D., Champagne, C.P. & Lacroix, C. Growth and exopolysaccharide production during free and immobilized cell chemostat culture of *Lactobacillus rhamnosus* RW-9595M, 272
Bernal, A. *see* Ros, M.
Berry, E.A. *see* Hillerton, J.E.
Bester, R. *see* Du Plessis, K.R.
Bettelheim, K.A., Kuzevski, A., Gilbert, R.A., Krause, D.O. & McSweeney, C.S. The diversity of *Escherichia coli* serotypes and biotypes in cattle faeces, 699
Biondo, C. *see* Carbone, M.
Blackall, P.J. *see* Chinivasagam, H.N.
Blair, I.S. *see* Moriarty, E.M.
Blanch, A.R. *see* García-Aljaro, C.
Boekhorst, J. *see* Smid, E.J.
Bohatier, J. *see* Arraj, A.
Bolton, D.J. *see* Pearce, R.A.
Bonaduce, I. *see* Ranalli, G.
Bonilla, M., Olivaro, C., Corona, M., Vazquez, A. & Soubes, M. Production and characterization of a new bioemulsifier from Pseudomonas putida ML2, 456
Bonjoch, X. *see* García-Aljaro, C.
Bore, E. & Langsrud, S. Characterization of microorganisms isolated from dairy industry after cleaning and fogging disinfection with alkyl amine and peracetic acid, 96
Borgo, P. *see* Combina, M.
Botha, A. *see* Du Plessis, K.R.
Boyd, E.F. *see* Reen, F.J.

Brejning, J., Arneborg, N. & Jespersen, L. Identification of genes and proteins induced during the lag and early exponential phase of lager brewing yeasts, 261
Brisset, J.-L. *see* Moreau, M.
Brito, L. *see* Pina, C.
Britz, T.J. *see* Witthuhn, R.C.
Brooks, J.P., Tanner, B.D., Gerba, C.P., Haas, C.N. & Pepper, I.L. Estimation of bioaerosol risk of infection to residents adjacent to a land applied biosolids site using an empirically derived transport model, 397
Bu, S., Tsang, P.W.K. & Fu, R.Z. GroEL-GroES solubilizes abundantly expressed xylulokinase in *Escherichia coli*, 210
Buchrieser, C. *see* Nilsson, L.
Bukovská, G. *see* Halgašová, N.
Burchhardt, G. *see* Wesche, J.

Caccio, S. *see* Moriarty, E.M.
Cai, Z.-L. *see* Kang, R.-J.
Capece, A., Fiore, C., Maraz, A. & Romano, P. Molecular and technological approaches to evaluate strain biodiversity in *Hanseniaspora uvarum* of wine origin, 136
Cappitelli, F. *see* Ranalli, G.
Carbone, M., Maugeri, T.L., Gugliandolo, C., La Camera, E., Biondo, C. & Fera, M.T. Occurrence of *Helicobacter pylori* DNA in the coastal environment of southern Italy (Straits of Messina), 768
Carding, S.R. *see* Farrar, M.D.
Carrasco, P. *see* Zuzuarregui, A.
Carter, M.J. Enterically infecting viruses: pathogenicity, transmission and significance for food and waterborne infection, 1354
Carvalho, A.S. *see* Silva, J.
Catania, C. *see* Combina, M.
Champagne, C.P. *see* Bergmaier, D.
Chand, P., Aruna, A., Maqsood, A.M. & Rao, L.V. Novel mutation method for increased cellulase production, 318
Chang, C.-S. *see* Joo, H.-S.
Chen, C.-H. *see* Wong, H.-C.
Chen, Y.-S. & Steele, J.L. Analysis of promoter sequences from *Lactobacillus helveticus* CNRZ32 and their activity in other lactic acid bacteria, 64
Cheng, Z.-M. *see* Xiong, A.-S.
Chihota, C. *see* Goldmann, W.
Chinivasagam, H.N. & Blackall, P.J. Investigation and application of methods for enumerating heterotrophs and *Escherichia coli* in the air within piggery sheds, 1137
Chiou, C.-S. *see* Wong, H.-C.
Cho, H.B. *see* Lee, S.-H.
Chouliara, I. *see* Goulas, A.E.
Chung, Y.-J. *see* Wong, H.-C.
Clifton-Hadley, F.A. *see* Randall, L.P.
Clouting, C.S. *see* Randall, L.P.
Cole, M.B. *see* Stewart, C.M.
Colombini, M.P. *see* Ranalli, G.
Comas, J. *see* Assunção, P.
Combina, M., Mercado, L., Borgo, P., Elia, A., Jofré, V., Ganga, A., Martinez, C. & Catania, C. Yeasts associated to Malbec grape berries from Mendoza, Argentina, 1055
Commander, N.J. *see* Cutler, S.J.
Cong, W. *see* Kang, R.-J.
Conradie, W.J. *see* Du Plessis, K.R.
Cooles, S. *see* Delsol, A.A.
Corona, M. *see* Bonilla, M.
Coronas, I. *see* Bellí, N.
Corradini, M.G. *see* Peleg, M.
Cortezzo, D.E. & Setlow, P. Analysis of factors that influence the sensitivity of spores of *Bacillus subtilis* to DNA damaging chemicals, 606
Cotter, P.D. *see* Guinane, C.M.
Cottica, D. *see* Dacarro, C.
Coutard, F., Pommepuy, M., Loaec, S. & Hervio-Heath, D. mRNA detection by reverse transcription–PCR for monitoring viability and potential virulence in a pathogenic strain of *Vibrio parahaemolyticus* in viable but nonculturable state, 951
Coutinho, C.M.L.M. *see* Korenblum, E.
Cox, P. *see* Ryan, U.
Cuero, R. & Ouellet, T. Metal ions modulate gene expression and accumulation of the mycotoxins aflatoxin and zearalenone, 598
Cunningham, M. *see* Ryan, U.
Cussatt, G. *see* Yezerski, A.
Cutler, S.J., Whatmore, A.M. & Commander, N.J. Brucellosis – new aspects of an old disease, 1270
Cyr, T.L., Jenkins, M.C., Hall, R.D., Masters, E.J. & McDonald, G.A. Improving the specificity of 16S rDNA-based polymerase chain reaction for detecting *Borrelia burgdorferi* sensu lato-causative agents of human Lyme disease, 962

Dabrowska, K., Switała-Jelen, K., Opolski, A., Weber-Dabrowska, B. & Gorski, A. A REVIEW: Bacteriophage penetration in vertebrates, 7
Dacarro, C., Grisoli, P., Del Frate, G., Villani, S., Grignani, E. & Cottica, D. Micro-organisms and dust exposure in an Italian grain mill, 163
Daoudi, A. *see* Benkerroum, N.
Dasgupta, S., Saha, D. & Saha, A. Levels of common antigens in determining pathogenicity of *Curvularia eragrostidis* in different tea varieties, 1084
Daube, G. *see* Mainil, J.G.

Davies, C.M., Altavilla, N., Krogh, M., Ferguson, C.M., Deere, D.A. & Ashbolt, N.J. Environmental inactivation of *Cryptosporidium oocysts* in catchment soils, 308
Davies, D.R. *see* Johnson, H.E.
Davies, R.D. *see* Randall, L.P.
Davis, A.O., O'Leary, J.O., Muthaiyan, A., Langevin, M.J., Delgado, A., Abalos, A.T., Fajardo, A.R., Marek, J., Wilkinson, B.J. & Gustafson, J.E. Characterization of *Staphylococcus aureus* mutants expressing reduced susceptibility to common house-cleaners, 364
Dawson, D.J., Paish, A., Staffell, L.M., Seymour, I.J. & Appleton, H. Survival of viruses on fresh produce, using MS2 as a surrogate for norovirus, 203
Dawyndt, P. *see* Yousif, N.M.K.
De Graef, V. *see* Vermeiren, L.
De Luca, G. *see* Leoni, E.
De Vizio, W. *see* McBain, A.J.
Debevere, J. *see* Vermeiren, L.
Declerck, N. *see* Shahhoseini, M.
Deere, D. *see* Ryan, U.
Deere, D.A. *see* Davies, C.M.
Degrange, V. *see* Khammar, N.
Del Frate, G. *see* Dacarro, C.
Delgado, A. *see* Davis, A.O.
Delsol, A.A., Randall, L., Cooles, S., Woodward, M.J., Sunderland, J. & Roe, J.M. Effect of the growth promoter avilamycin on emergence and persistence of antimicrobial resistance in enteric bacteria in the pig, 564
Deng, Y.-M. *see* Liu, C.-Q.
Desmond, C. *see* Ross, R.P.
Devane, M.L., Nicol, C., Ball, A., Klena, J.D., Scholes, P., Hudson, J.A., Baker, M.G., Gilpin, B.J., Garrett, N. & Savill, M.G. The occurrence of *Campylobacter* subtypes in environmental reservoirs and potential transmission routes, 980
Devlieghere, F. *see* Vermeiren, L.
Diaz, R. *see* Assunção, P.
Diez-Gonzalez, F. *see* Schamberger, G.P.
Dilasser, F. *see* Perelle, S.
Dilger, P. *see* Farrar, M.D.
Dirar, H.A. *see* Yousif, N.M.K.
Domingues, P. *see* Silva, J.
Du Plessis, K.R., Botha, A., Joubert, L., Bester, R., Conradie, W.J. & Wolfaardt, G.M. Response of the microbial community to copper oxychloride in acidic sandy loam soil, 901
Dudley, E.G. & Steele, J.L. Succinate production and citrate catabolism by Cheddar cheese nonstarter lactobacilli, 14
Duffy, G. *see* Moriarty, E.M.
Dunn, N.W. *see* Liu, C.-Q.
Dupont, K., Vogensen, F.K. & Josephsen, J. Detection of lactococcal 936-species bacteriophages in whey by magnetic capture hybridization PCR targeting a variable region of receptor-binding protein genes, 1001
Durance, T.D. *see* Yaghmaee, P.
Duroy, M. *see* Benkerroum, N.
Duthoit, F., Tessier, L. & Montel, M.-C. Diversity, dynamics and activity of bacterial populations in 'Registered Designation of Origin' Salers cheese by single-strand conformation polymorphism analysis of 16S rRNA genes, 1198

Elia, A. *see* Combina, M.
Elmholt, S. *see* Frisvad, J.C.
van Enckevort, F.J.H. *see* Smid, E.J.
Engelbrecht, S. *see* Witthuhn, R.C.
Evancho, M. *see* Yezerski, A.
Evrart, P. *see* Benkerroum, N.

Fach, P. *see* Perelle, S.
Fajardo, A.R. *see* Davis, A.O.
Fanlo, J.-L. *see* Khammar, N.
Farrar, M.D., Whitehead, T.R., Lan, J., Dilger, P., Thorpe, R., Holland, K.T. & Carding, S.R. Engineering of the gut commensal bacterium *Bacteroides ovatus* to produce and secrete biologically active murine interleukin-2 in response to xylan, 1191
Fera, M.T. *see* Carbone, M.
Ferguson, C.M. *see* Davies, C.M.
Ferreira, R. *see* Silva, J.
Feuilloley, M.G.J. *see* Moreau, M.
Fiore, C. *see* Capece, A.
Fitzgerald, G.F. *see* Leahy, S.C.
Fitzgerald, G.F. *see* Ross, R.P.
Franz, C.M.A.P. *see* Yousif, N.M.K.
Frece, J., Kos, B., Svetec, I.K., Zgaga, Z., Mrša, V. & Šušković, J. Importance of S-layer proteins in probiotic activity of *Lactobacillus acidophilus* M92, 285
Friel, D., Vandenbol, M. & Jijakli, M.H. Genetic characterization of the yeast *Pichia anomala* (strain K), an antagonist of postharvest diseases of apple, 783
Frisvad, J.C., Lund, F. & Elmholt, S. Ochratoxin A producing *Penicillium verrucosum* isolates from cereals reveal large AFLP fingerprinting variability, 684
Fru, E.C. *see* Masurat, P.
Fu, R.Z. *see* Bu, S.
Fujii, T., Nakashima, K. & Hayashi, N. Random amplified polymorphic DNA-PCR based cloning of markers to identify the beer-spoilage strains of *Lactobacillus brevis*, *Pediococcus damnosus*, *Lactobacillus collinoides* and *Lactobacillus coryniformis*, 1209

Gahan, C.G.M. & Hill, C. Gastrointestinal phase of *Listeria monocytogenes* infection, 1345
Gale, P. Land application of treated sewage sludge: quantifying pathogen risks from consumption of crops, 380
Ganga, A. *see* Combina, M.
Garcia, C. *see* Ros, M.
García-Aljaro, C., Bonjoch, X. & Blanch, A.R. Combined use of an immunomagnetic separation method and immunoblotting for the enumeration and isolation of *Escherichia coli* O157 in wastewaters, 589
Garrett, N. *see* Devane, M.L.
Garrido, P. *see* Nilsson, L.
Garriga, M. *see* Martin, B.
Gaspari, F., Paitan, Y., Mainini, M., Losi, D., Ron, E.Z. & Marinelli, F. Myxobacteria isolated in Israel as potential source of new anti-infectives, 429
Gaya, P. *see* Arqués, J.L.
Gaze, J. Microbiological aspects of thermally processed foods, 1381
Gerba, C.P. *see* Brooks, J.P.
Geresh, S. *see* Hadad, D.
Ghaemi, N. *see* Shahhoseini, M.
Ghalfi, H. *see* Benkerroum, N.
Ghribi, D., Zouari, N. & Jaoua, S. Improvement of bioinsecticides production through adaptation of *Bacillus thuringiensis* cells to heat treatment and NaCl addition, 823
Giacomazzi, S., Leroi, F. & Joffraud, J.-J. Comparison of three methods of DNA extraction from cold-smoked salmon and impact of physical treatments, 1230
Gibbs, P.A. *see* Silva, J.
Gilbert, P. *see* Huws, S.A.
Gilbert, P. *see* McBain, A.J.
Gilbert, R.A. *see* Bettelheim, K.A.
Gilmour, A. Preface, 1249
Gilpin, B.J. *see* Devane, M.L.
Glaser, P. *see* Nilsson, L.
Glick, D. *see* Yezerski, A.
Godfree, A. Editorial, 253
Godon, J.-J. *see* Khammar, N.
Goldmann, W., Baylis, M., Chihota, C., Stevenson, E. & Hunter, N. Frequencies of *PrP* gene haplotypes in British sheep flocks and the implications for breeding programmes, 1294
Gollop, N., Zakin, V. & Weinberg, Z.G. Antibacterial activity of lactic acid bacteria included in inoculants for silage and in silages treated with these inoculants, 662
González-Llamazares, O.R. *see* Assunção, P.
Gorski, A. *see* Dabrowska, K.
Goulas, A.E., Chouliara, I., Nessi, E., Kontominas, M.G. & Savvaidis, I.N. Microbiological, biochemical and sensory assessment of mussels (*Mytilus galloprovincialis*) stored under modified atmosphere packaging, 752
Gradel, K.O. *see* Randall, L.P.
Gram, L. *see* Hansen, E.H.
Gram, L. *see* Nilsson, L.
Grant, I.R. Zoonotic potential of *Mycobacterium avium* ssp. *paratuberculosis*: the current position, 1282
Gravesen, A. *see* Nilsson, L.
Greenhut, W.B. *see* Wang, J.-J.
Griffith, G.W. *see* Johnson, H.E.
Griffith, M. *see* Ryan, U.
Grignani, E. *see* Dacarro, C.
Grisoli, P. *see* Dacarro, C.
Grout, J. *see* Perelle, S.
Guamis, B. *see* Arqués, J.L.
Gugliandolo, C. *see* Carbone, M.
Guilloux-Benatier, M. *see* Remize, F.
Guinane, C.M., Cotter, P.D., Hill, C. & Ross, R.P. Microbial solutions to microbial problems; lactococcal bacteriocins for the control of undesirable biota in food, 1316
Guiot, S. *see* Tresse, O.
Guo, L. *see* Halaouli, S.
Gustafson, J.E. *see* Davis, A.O.
Guzzo, J. *see* Remize, F.

Haas, C.N. *see* Brooks, J.P.
Hadad, D., Geresh, S. & Sivan, A. Biodegradation of polyethylene by the thermophilic bacterium *Brevibacillus borstelensis*, 1093
Halaouli, S., Asther, Mi., Kruus, K., Guo, L., Hamdi, M., Sigoillot, J.-C., Asther, M. & Lomascolo, A. Characterization of a new tyrosinase from *Pycnoporus* species with high potential for food technological applications, 332
Halgašová, N., Majtán, T., Ugorčáková, J., Timko, J. & Bukovská, G. Resistance of corynebacterial strains to infection and lysis by corynephage BFK 20, 184
Hall, R.D. *see* Cyr, T.L.
Hamdi, M. *see* Halaouli, S.
Hammami, A. *see* Kamoun, F.
Hammer, E. *see* Wesche, J.
Hamraoui, T. *see* Benkerroum, N.
Han, M.-S. *see* Kang, Y.-H.
Han, P.-L. *see* Xiong, A.-S.
Hansen, E.H., Schäfer, T., Molin, S. & Gram, L. Effect of environmental and physiological factors on the antibacterial activity of *Curvularia* haloperoxidase system against *Escherichia coli*, 581

Hansen, T.B. *see* Nilsson, L.
Haros, M. *see* Palacios, M.C.
Harrington, D. *see* Logue, C.M.
Hartmann-Schmidlin, S. *see* Puupponen-Pimiä, R.
Harwood, V.J. *see* Shehane, S.D.
Hawkins, P. *see* Ryan, U.
Hayashi, N. *see* Fujii, T.
Heguri, K. *see* Park, M.-O.
Heinonen, M. *see* Puupponen-Pimiä, R.
Hernandez, M.T. *see* Ros, M.
Hervio-Heath, D. *see* Coutard, F.
Higgins, D.G. *see* Leahy, S.C.
Hill, C. *see* Gahan, C.G.M.
Hill, C. *see* Guinane, C.M.
Hillerton, J.E. & Berry, E.A. Treating mastitis in the cow – a tradition or an archaism, 1250
Hirata, K. *see* Park, M.-O.
Holland, K.T. *see* Farrar, M.D.
Holzapfel, W.H. *see* Yousif, N.M.K.
Hudson, J.A. *see* Devane, M.L.
Hugas, M. *see* Martin, B.
Hugenholtz, J. *see* Smid, E.J.
Hunter, N. *see* Goldmann, W.
Huws, S.A., McBain, A.J. & Gilbert, P. Protozoan grazing and its impact upon population dynamics in biofilm communities, 238

Ingham, A.B., Sproat, K.W., Tizard, M.L.V. & Moore, R.J. A versatile system for the expression of nonmodified bacteriocins in *Escherichia coli*, 676
Inoue, N. *see* Suzuki, M.
Irinyi, L. *see* Antunovics, Z.
Ivanov, V., Stabnikov, V., Zhuang, W.Q., Tay, J.H. & Tay, S.T.L. Phosphate removal from the returned liquor of municipal wastewater treatment plant using iron-reducing bacteria, 1152

Jang, S.J. *see* Jeong, S.H.
Jaoua, S. *see* Ghribi, D.
Jaoua, S. *see* Kamoun, F.
Jenkins, M.C. *see* Cyr, T.L.
Jenkins, R.O. *see* Sherburn, R.E.
Jeong, S.H., Bae, I.K., Kwon, S.B., Lee, J.H., Song, J.S., Jung, H.I., Sung, K.H., Jang, S.J. & Lee, S.H. Dissemination of transferable CTX-M-type extended-spectrum β-lactamase-producing *Escherichia coli* in Korea, 921
Jespersen, L. *see* Brejning, J.
Jijakli, M.H. *see* Friel, D.
Joffraud, J.-J. *see* Giacomazzi, S.
Jofré, V. *see* Combina, M.
Johnson, H.E., Merry, R.J., Davies, D.R., Kell, D.B., Theodorou, M.K. & Griffith, G.W. Vacuum packing: a model system for laboratory-scale silage fermentations, 106
Jones, D.L. *see* Avery, L.M.
Jones, D.L. *see* Williams, A.P.
Joo, H.-S. & Chang, C.-S. Oxidant and SDS-stable alkaline protease from a halo-tolerant *Bacillus clausii* I-52: enhanced production and simple purification, 491
Jørgensen, H.J. *see* Loncarevic, S.
Josephsen, J. *see* Dupont, K.
Joubert, E. *see* Witthuhn, R.C.
Joubert, L. *see* Du Plessis, K.R.
Julien, A. *see* Zuzuarregui, A.
Jung, H.I. *see* Jeong, S.H.

Kähkönen, M. *see* Puupponen-Pimiä, R.
Kamoun, F., Mejdoub, H., Aouissaoui, H., Reinbolt, J., Hammami, A. & Jaoua, S. Purification, amino acid sequence and characterization of Bacthuricin F4, a new bacteriocin produced by *Bacillus thuringiensis*, 881
Kang, J.H. & Lee, M.S. Characterization of a bacteriocin produced by *Enterococcus faecium* GM-1 isolated from an infant, 1169
Kang, R.-J., Shi, D.-J., Cong, W., Cai, Z.-L. & Ouyang, F. Regulation of CO_2 on heterocyst differentiation and nitrate uptake in the cyanobacterium *Anabaena* sp. PCC 7120, 693
Kang, Y.-H., Kim, J.-D., Kim, B.-H., Kong, D.-S. & Han, M.-S. Isolation and characterization of a bio-agent antagonistic to diatom, *Stephanodiscus hantzschii*, 1030
Katouli, M. *see* Ahmed, W.
Kawai, Y. *see* Suzuki, M.
Keim, P. *see* Keys, C.
Kell, D.B. *see* Johnson, H.E.
Kemper, S. *see* Keys, C.
Keys, C., Kemper, S. & Keim, P. Highly diverse variable number tandem repeat loci in the *E. coli* O157:H7 and O55:H7 genomes for high-resolution molecular typing, 928
Khammar, N., Malhautier, L., Degrange, V., Lensi, R., Godon, J.-J. & Fanlo, J.-L. Link between spatial structure of microbial communities and degradation of a complex mixture of volatile organic compounds in peat biofilters, 476
Khunajakr, N. *see* Liu, C.-Q.
Kiers, J.L. *see* Nout, M.J.R.
Killham, K. *see* Avery, L.M.
Killham, K. *see* Williams, A.P.
Kim, B.-H. *see* Kang, Y.-H.
Kim, J.-D. *see* Kang, Y.-H.

Kim, S.-J. *see* Lee, S.-H.
Kim, W.S. *see* Liu, C.-Q.
Kiskó, G., Sharp, R. & Roller, S. Chitosan inactivates spoilage yeasts but enhances survival of *Escherichia coli* O157:H7 in apple juice, 872
Klena, J.D. *see* Devane, M.L.
Knochel, S. *see* Nilsson, L.
Kong, D.-S. *see* Kang, Y.-H.
Kontominas, M.G. *see* Goulas, A.E.
Korenblum, E., von der Weid, I., Santos, A.L.S., Rosado, A.S., Sebastián, G.V., Coutinho, C.M.L.M., Magalhães, F.C.M., de Paiva, M.M. & Seldin, L. Production of antimicrobial substances by *Bacillus subtilis* LFE-1, *B. firmus* H_2O-1 and *B. licheniformis* T6-5 isolated from an oil reservoir in Brazil, 667
Kos, B. *see* Frece, J.
Krause, D.O. *see* Bettelheim, K.A.
Krogh, M. *see* Davies, C.M.
Kruus, K. *see* Halaouli, S.
Kunito, T. *see* Suzuki, C.
Kuzevski, A. *see* Bettelheim, K.A.
Kwon, S.B. *see* Jeong, S.H.

La Camera, E. *see* Carbone, M.
Lacroix, C. *see* Bergmaier, D.
Lan, J. *see* Farrar, M.D.
Langevin, M.J. *see* Davis, A.O.
Langsrud, S. *see* Bore, E.
Laveran, H. *see* Arraj, A.
Le Breton, Y., Pichereau, V., Sauvageot, N., Auffray, Y. & Rincé, A. Maltose utilization in *Enterococcus faecalis*, 806
Leahy, S.C., Higgins, D.G., Fitzgerald, G.F. & van Sinderen, D. Getting better with bifidobacteria, 1303
Ledder, R.G. *see* McBain, A.J.
Lee, B.-K. *see* Wong, H.-C.
Lee, C. *see* Lee, S.-H.
Lee, C.-L. *see* Wong, H.-C.
Lee, J.H. *see* Jeong, S.H.
Lee, K.W. *see* Lee, S.-H.
Lee, M.S. *see* Kang, J.H.
Lee, S.-H., Lee, C., Lee, K.W., Cho, H.B. & Kim, S.-J. The simultaneous detection of both enteroviruses and adenoviruses in environmental water samples including tap water with an integrated cell culture–multiplex-nested PCR procedure, 1020
Lee, S.H. *see* Jeong, S.H.
Lees, D.N. *see* Tree, J.A.
Leff, L.G. *see* Baker, P.W.
Legan, J.D. *see* Stewart, C.M.
Legnani, P.P. *see* Leoni, E.
Leite, P. *see* Pina, C.
Lensi, R. *see* Khammar, N.
Leoni, E., De Luca, G., Legnani, P.P., Sacchetti, R., Stampi, S. & Zanetti, F. Legionella waterline colonization: detection of *Legionella* species in domestic, hotel and hospital hot water systems, 373
Leroi, F. *see* Giacomazzi, S.
Lévesque, M.-J. *see* Tresse, O.
Leyva, J.S. & Peinado, J.M. ATP requirements for benzoic acid tolerance in *Zygosaccharomyces bailii*, 121
Li, Y. *see* Xiong, A.-S.
Lindblad, P. *see* Antal, T.K.
Linden, K.G. *see* Mamane-Gravetz, H.
Liong, M.T. & Shah, N.P. Optimization of cholesterol removal, growth and fermentation patterns of *Lactobacillus acidophilus* ATCC 4962 in the presence of mannitol, fructo-oligosaccharide and inulin: a response surface methodology approach, 1115
Liu, C.-Q., Su, P., Khunajakr, N., Deng, Y.-M., Sumual, S., Kim, W.S., Tandianus, J.E. & Dunn, N.W. Development of food-grade cloning and expression vectors for *Lactococcus lactis*, 127
Liu, C.-T. *see* Suzuki, C.
Liu, S.-H. *see* Wong, H.-C.
Loaec, S. *see* Coutard, F.
Logue, C.M., Sheridan, J.J. & Harrington, D. Studies of steam decontamination of beef inoculated with *Escherichia coli* O157:H7 and its effect on subsequent storage, 741
Lomascolo, A. *see* Halaouli, S.
Loncarevic, S., Jørgensen, H.J., Løvseth, A., Mathisen, T. & Rørvik, L.M. Diversity of *Staphylococcus aureus* enterotoxin types within single samples of raw milk and raw milk products, 344
Lonvaud-Funel, A. *see* du Toit, W.J.
Losi, D. *see* Gaspari, F.
Løvseth, A. *see* Loncarevic, S.
Lund, F. *see* Frisvad, J.C.
Lustrato, G. *see* Ranalli, G.

Määttä-Riihinen, K. *see* Puupponen-Pimiä, R.
McAllister, T.A. *see* Bach, S.J.
McBain, A.J., Sissons, C., Ledder, R.G., Sreenivasan, P.K., De Vizio, W. & Gilbert, P. Development and characterization of a simple perfused oral microcosm, 624
McBain, A.J. *see* Huws, S.A.
McDonald, G.A. *see* Cyr, T.L.
McDowell, D. *see* Moriarty, E.M.
McEvoy, J.M. *see* Moriarty, E.M.
MacRae, M. *see* Ogden, I.D.
McSweeney, C.S. *see* Bettelheim, K.A.
Magalhães, F.C.M. *see* Korenblum, E.

Maillard, J.-Y. *see* Thomas, L.
Mainil, J.G. & Daube, G. Verotoxigenic *Escherichia coli* from animals, humans and foods: who's who?, 1332
Mainini, M. *see* Gaspari, F.
Majtán, T. *see* Halgašová, N.
Malhautier, L. *see* Khammar, N.
Mamane-Gravetz, H. & Linden, K.G. Relationship between physiochemical properties, aggregation and u.v. inactivation of isolated indigenous spores in water, 351
Mañas, P. & Pagán, R. Microbial inactivation by new technologies of food preservation, 1387
Maqsood, A.M. *see* Chand, P.
Maraz, A. *see* Capece, A.
Marek, J. *see* Davis, A.O.
Marín, S. *see* Bellí, N.
Marinelli, F. *see* Gaspari, F.
Martin, B., Garriga, M., Hugas, M. & Aymerich, T. Genetic diversity and safety aspects of enterococci from slightly fermented sausages, 1177
Martinez, C. *see* Combina, M.
Massa, S. *see* Spano, G.
Masters, E.J. *see* Cyr, T.L.
Masurat, P., Fru, E.C. & Pedersen, K. Identification of *Meiothermus* as the dominant genus in a storage system for spent nuclear fuel, 727
Mathisen, T. *see* Loncarevic, S.
Maugeri, T.L. *see* Carbone, M.
Medina, M. *see* Arqués, J.L.
Mejdoub, H. *see* Kamoun, F.
Mercado, L. *see* Combina, M.
Merry, R.J. *see* Johnson, H.E.
Miyamoto, K. *see* Park, M.-O.
Moio, L. *see* Spano, G.
Molenaar, D. *see* Smid, E.J.
Molin, S. *see* Hansen, E.H.
Montel, M.-C. *see* Duthoit, F.
Moore, R.J. *see* Ingham, A.B.
Moreau, M., Feuilloley, M.G.J., Orange, N. & Brisset, J.-L. Lethal effect of the gliding arc discharges on *Erwinia* spp., 1039
Moriarty, E.M., Duffy, G., McEvoy, J.M., Caccio, S., Sheridan, J.J., McDowell, D. & Blair, I.S. The effect of thermal treatments on the viability and infectivity of *Cryptosporidium parvum* on beef surfaces, 618
Mortier, J. *see* Sampermans, S.
Mounien, F. *see* Tresse, O.
Mrša, V. *see* Frece, J.
Muthaiyan, A. *see* Davis, A.O.

Nakashima, K. *see* Fujii, T.
Nasu, M. *see* Ogawa, M.
Neill, S.D., Skuce, R.A. & Pollock, J.M. Tuberculosis – new light from an old window, 1261
Neller, R. *see* Ahmed, W.
Nesseler, A. *see* Zschöck, M.
Nessi, E. *see* Goulas, A.E.
Nicol, C. *see* Devane, M.L.
Nilsson, L., Hansen, T.B., Garrido, P., Buchrieser, C., Glaser, P., Knøchel, S., Gram, L. & Gravesen, A. Growth inhibition of *Listeria monocytogenes* by a nonbacteriocinogenic *Carnobacterium piscicola*, 172
Nishibuchi, M. *see* Wong, H.-C.
Nohynek, L. *see* Puupponen-Pimiä, R.
Normand, M.D. *see* Peleg, M.
Nout, M.J.R. & Kiers, J.L. A REVIEW: Tempe fermentation, innovation and functionality: update into the third millenium, 789
Nuñez, M. *see* Arqués, J.L.

O'Rourke, D. Assessment of cows for use of a nonantimicrobial dry cow product, 1256
Ochiai, A. *see* Ogawa, M.
Ogawa, M., Tani, K., Ochiai, A., Yamaguchi, N. & Nasu, M. Multicolour digital image analysis system for identification of bacteria and concurrent assessment of their respiratory activity, 1101
Ogden, I.D., MacRae, M. & Strachan, N.J.C. Concentration and prevalence of *Escherichia coli* O157 in sheep faeces at pasture in Scotland, 646
Oksman-Caldentey, K.-M. *see* Puupponen-Pimiä, R.
O'Leary, J.O. *see* Davis, A.O.
Olivaro, C. *see* Bonilla, M.
del Olmo, M. *see* Zuzuarregui, A.
Opolski, A. *see* Dabrowska, K.
Orange, N. *see* Moreau, M.
Ouellet, T. *see* Cuero, R.
Ouyang, F. *see* Kang, R.-J.
Oyaizu, H. *see* Suzuki, C.

Pagán, R. *see* Mañas, P.
Paish, A. *see* Dawson, D.J.
Paitan, Y. *see* Gaspari, F.
de Paiva, M.M. *see* Korenblum, E.
Palacios, A. *see* Zuzuarregui, A.
Palacios, M.C., Haros, M., Rosell, C.M. & Sanz, Y. Characterization of an acid phosphatase from *Lactobacillus pentosus*: regulation and biochemical properties, 229
Pandiaraja, P. *see* Sunish Kumar, R.
Park, M.-O., Heguri, K., Hirata, K. & Miyamoto, K. Production of alternatives to fuel oil from organic waste by the alkane-producing bacterium, *Vibrio furnissii* M1, 324

Pascual, J.A. *see* Ros, M.
Patterson, M.F. Microbiology of pressure-treated foods, 1400
Pearce, R.A. & Bolton, D.J. Excision vs sponge swabbing – a comparison of methods for the microbiological sampling of beef, pork and lamb carcasses, 896
Pedersen, K. *see* Masurat, P.
Peinado, J.M. *see* Leyva, J.S.
Peleg, M., Normand, M.D. & Corradini, M.G. Generating microbial survival curves during thermal processing in real time, 406
Peng, R.-H. *see* Xiong, A.-S.
Pepper, I.L. *see* Brooks, J.P.
Perelle, S., Dilasser, F., Grout, J. & Fach, P. Detection of *Escherichia coli* serogroup O103 by real-time polymerase chain reaction, 1162
Pichereau, V. *see* Le Breton, Y.
Pina, C., Teixeiró, P., Leite, P., Villa, M., Belloch, C. & Brito, L. PCR-fingerprinting and RAPD approaches for tracing the source of yeast contamination in a carbonated orange juice production chain, 1107
Piuri, M., Sanchez-Rivas, C. & Ruzal, S.M. Cell wall modifications during osmotic stress in *Lactobacillus casei*, 84
Pollock, J.M. *see* Neill, S.D.
Pommepuy, M. *see* Coutard, F.
Pourbabai, A.-A. *see* Shahhoseini, M.
Poveda, J.B. *see* Assunção, P.
Prakash, O. *see* Sunish Kumar, R.
Pretorius, I.S. *see* du Toit, W.J.
Puławska, J. & Sobiczewski, P. Development of a semi-nested PCR based method for sensitive detection of tumorigenic *Agrobacterium* in soil, 710
Puupponen-Pimiä, R., Nohynek, L., Hartmann-Schmidlin, S., Kähkönen, M., Heinonen, M., Määttä-Riihinen, K. & Oksman-Caldentey, K.-M. Berry phenolics selectively inhibit the growth of intestinal pathogens, 991

Queralt, N., Bartolomé, R. & Araujo, R. Detection of *Helicobacter pylori* DNA in human faeces and water with different levels of faecal pollution in the north-east of Spain, 889

Ramos, A.J. *see* Bellí, N.
Ranalli, G., Alfano, G., Belli, C., Lustrato, G., Colombini, M.P., Bonaduce, I., Zanardini, E., Abbruscato, P., Cappitelli, F. & Sorlini, C. Biotechnology applied to cultural heritage: biorestoration of frescoes using viable bacterial cells and enzymes, 73
Randall, L. *see* Delsol, A.A.
Randall, L.P., Clouting, C.S., Gradel, K.O., Clifton-Hadley, F.A., Davies, R.D. & Woodward, M.J. Farm disinfectants select for cyclohexane resistance, a marker of multiple antibiotic resistance, in *Escherichia coli*, 556
Rao, L.V. *see* Chand, P.
Read, C. *see* Ryan, U.
Reddy, A.V. *see* Sunish Kumar, R.
Reen, F.J. & Boyd, E.F. Molecular typing of epidemic and nonepidemic *Vibrio cholerae* isolates and differentiation of *V. cholerae* and *V. mimicus* isolates by PCR–single-strand conformation polymorphism analysis, 544
Reinbolt, J. *see* Kamoun, F.
Remize, F., Augagneur, Y., Guilloux-Benatier, M. & Guzzo, J. Effect of nitrogen limitation and nature of the feed upon *Oenococcus oeni* metabolism and extracellular protein production, 652
Rinaldi, A. *see* Spano, G.
Rincé, A. *see* Le Breton, Y.
Roblain, D. *see* Benkerroum, N.
Rodríguez, E. *see* Arqués, J.L.
Roe, J.M. *see* Delsol, A.A.
Roller, S. *see* Kiskó, G.
Romano, P. *see* Capece, A.
Ron, E.Z. *see* Gaspari, F.
Rørvik, L.M. *see* Loncarevic, S.
Ros, M., Hernandez, M.T., Garcia, C., Bernal, A. & Pascual, J.A. Biopesticide effect of green compost against fusarium wilt on melon plants, 845
Rosado, A.S. *see* Korenblum, E.
Rose, J.B. *see* Shehane, S.D.
Rosell, C.M. *see* Palacios, M.C.
Ross, R.P., Desmond, C., Fitzgerald, G.F. & Stanton, C. Overcoming the technological hurdles in the development of probiotic foods, 1410
Ross, R.P. *see* Guinane, C.M.
Ruiz de Galarreta, C.M. *see* Assunção, P.
Russell, A.D. *see* Thomas, L.
Ruzal, S.M. *see* Piuri, M.
Ryan, U., Read, C., Hawkins, P., Warnecke, M., Swanson, P., Griffith, M., Deere, D., Cunningham, M. & Cox, P. Genotypes of *Cryptosporidium* from Sydney water catchment areas, 1221

Sacchetti, R. *see* Leoni, E.
Saha, A. *see* Dasgupta, S.
Saha, D. *see* Dasgupta, S.
Sakthivel, N. *see* Sunish Kumar, R.
Sampermans, S., Mortier, J. & Soares, E.V. Flocculation onset in *Saccharomyces cerevisiae*: the role of nutrients, 525
Sanchez-Rivas, C. *see* Piuri, M.

Sanchis, V. *see* Bellí, N.
Santos, A.L.S. *see* Korenblum, E.
Sanz, Y. *see* Palacios, M.C.
Sauvageot, N. *see* Le Breton, Y.
Savill, M.G. *see* Devane, M.L.
Savvaidis, I.N. *see* Goulas, A.E.
Schäfer, T. *see* Hansen, E.H.
Schaffner, D.W. *see* Stewart, C.M.
Schamberger, G.P. & Diez-Gonzalez, F. Assessment of resistance to colicinogenic *Escherichia coli* by *E. coli* O157:H7 strains, 245
Schauer, F. *see* Wesche, J.
Schillinger, U. *see* Yousif, N.M.K.
Scholes, P. *see* Devane, M.L.
Sebastián, G.V. *see* Korenblum, E.
Seldin, L. *see* Korenblum, E.
Selinger, L.J. *see* Bach, S.J.
Setlow, P. *see* Cortezzo, D.E.
Seymour, I.J. *see* Dawson, D.J.
Shafiani, S., Sharma, P., Vohra, R.M. & Tewari, R. Cloning and characterization of aspartate-β-semialdehyde dehydrogenase from *Mycobacterium tuberculosis* H37 Rv, 832
Shah, N.P. *see* Liong, M.T.
Shahhoseini, M., Ziaee, A.-A., Pourbabai, A.-A., Ghaemi, N. & Declerck, N. A natural variant of *Bacillus licheniformis* α-amylase isolated from flour mill wastewaters sheds light on the origin of high thermostability, 24
Sharma, P. *see* Shafiani, S.
Sharp, R. *see* Kiskó, G.
Shaukat, S.S. *see* Siddiqui, I.A.
Shehane, S.D., Harwood, V.J., Whitlock, J.E. & Rose, J.B. The influence of rainfall on the incidence of microbial faecal indicators and the dominant sources of faecal pollution in a Florida river, 1127
Sherburn, R.E. & Jenkins, R.O. Aerial release of bacteria from cot mattress materials and the sudden infant death syndrome, 293
Sheridan, J.J. *see* Logue, C.M.
Sheridan, J.J. *see* Moriarty, E.M.
Shi, D.-J. *see* Kang, R.-J.
Shih, J.C.H. *see* Wang, J.-J.
Siddiqui, I.A. & Shaukat, S.S. Phenylacetic acid-producing *Rhizoctonia solani* represses the biosynthesis of nematicidal compounds *in vitro* and influences biocontrol of *Meloidogyne incognita* in tomato by *Pseudomonas fluorescens* strain CHA0 and its GM derivatives, 43
Siezen, R.J. *see* Smid, E.J.
Sigoillot, J.-C. *see* Halaouli, S.
Silva, J., Carvalho, A.S., Ferreira, R., Vitorino, R., Amado, F., Domingues, P., Teixeira, P. & Gibbs, P.A. Effect of the pH of growth on the survival of *Lactobacillus delbrueckii* subsp. *bulgaricus* to stress conditions during spray-drying, 775
van Sinderen, D. *see* Leahy, S.C.
Sipiczki, M. *see* Antunovics, Z.
Sissons, C. *see* McBain, A.J.
Sivan, A. *see* Hadad, D.
Skuce, R.A. *see* Neill, S.D.
Slade, L. *see* Stewart, C.M.
Smid, E.J., van Enckevort, F.J.H., Wegkamp, A., Boekhorst, J., Molenaar, D., Hugenholtz, J., Siezen, R.J. & Teusink, B. Metabolic models for rational improvement of lactic acid bacteria as cell factories, 1326
Soares, E.V. *see* Sampermans, S.
Sobiczewski, P. *see* Puławska, J.
Song, J.S. *see* Jeong, S.H.
Sorlini, C. *see* Ranalli, G.
Soubes, M. *see* Bonilla, M.
Spano, G., Rinaldi, A., Ugliano, M., Moio, L., Beneduce, L. & Massa, S. A β-glucosidase gene isolated from wine *Lactobacillus plantarum* is regulated by abiotic stresses, 855
Sproat, K.W. *see* Ingham, A.B.
Sreenivasan, P.K. *see* McBain, A.J.
Stabnikov, V. *see* Ivanov, V.
Staffell, L.M. *see* Dawson, D.J.
Stampi, S. *see* Leoni, E.
Stanford, K. *see* Bach, S.J.
Stanton, C. *see* Ross, R.P.
Steele, J.L. *see* Chen, Y.-S.
Steele, J.L. *see* Dudley, E.G.
Stevenson, E. *see* Goldmann, W.
Stewart, C.M., Cole, M.B., Legan, J.D., Slade, L. & Schaffner, D.W. Solute-specific effects of osmotic stress on *Staphylococcus aureus*, 193
Strachan, N.J.C. *see* Ogden, I.D.
Su, P. *see* Liu, C.-Q.
Sudarwanto, I. *see* Zschöck, M.
Sumual, S. *see* Liu, C.-Q.
Sunderland, J. *see* Delsol, A.A.
Sung, K.H. *see* Jeong, S.H.
Sunish Kumar, R., Ayyadurai, N., Pandiaraja, P., Reddy, A.V., Venkateswarlu, Y., Prakash, O. & Sakthivel, N. Characterization of antifungal metabolite produced by a new strain *Pseudomonas aeruginosa* PUPa3 that exhibits broad-spectrum antifungal activity and biofertilizing traits, 145
Šušković, J. *see* Frece, J.

Suzuki, C., Kunito, T., Aono, T., Liu, C.-T. & Oyaizu, H. Microbial indices of soil fertility, 1062
Suzuki, M., Yamamoto, T., Kawai, Y., Inoue, N. & Yamazaki, K. Mode of action of piscicocin CS526 produced by *Carnobacterium piscicola* CS526, 1146
Svetec, I.K. *see* Frece, J.
Swanson, P. *see* Ryan, U.
Swings, J. *see* Yousif, N.M.K.
Switała-Jelen, K. *see* Dabrowska, K.

Tandianus, J.E. *see* Liu, C.-Q.
Tani, K. *see* Ogawa, M.
Tanner, B.D. *see* Brooks, J.P.
Tay, J.H. *see* Ivanov, V.
Tay, S.T.L. *see* Ivanov, V.
Teixeira, P. *see* Silva, J.
Teixeiró, P. *see* Pina, C.
Tessier, L. *see* Duthoit, F.
Teusink, B. *see* Smid, E.J.
Tewari, R. *see* Shafiani, S.
Theodorou, M.K. *see* Johnson, H.E.
Thiry, C. *see* Benkerroum, N.
Thomas, L., Russell, A.D. & Maillard, J.-Y. Antimicrobial activity of chlorhexidine diacetate and benzalkonium chloride against *Pseudomonas aeruginosa* and its response to biocide residues, 533
Thonart, P. *see* Benkerroum, N.
Thorpe, R. *see* Farrar, M.D.
Tian, S.P. *see* Yao, H.J.
Timko, J. *see* Halgašová, N.
Tizard, M.L.V. *see* Ingham, A.B.
du Toit, W.J., Pretorius, I.S. & Lonvaud-Funel, A. The effect of sulphur dioxide and oxygen on the viability and culturability of a strain of *Acetobacter pasteurianus* and a strain of *Brettanomyces bruxellensis* isolated from wine, 862
Traore, O. *see* Arraj, A.
Tree, J.A., Adams, M.R. & Lees, D.N. Disinfection of feline calicivirus (a surrogate for Norovirus) in wastewaters, 155
Tresse, O., Mounien, F., Lévesque, M.-J. & Guiot, S. Comparison of the microbial population dynamics and phylogenetic characterization of a CANOXIS reactor and a UASB reactor degrading trichloroethene, 440
Tsang, P.W.K. *see* Bu, S.

Ugliano, M. *see* Spano, G.
Ugorčáková, J. *see* Halgašová, N.

Vancanneyt, M. *see* Yousif, N.M.K.
Vandenbol, M. *see* Friel, D.
Vazquez, A. *see* Bonilla, M.
Venkateswarlu, Y. *see* Sunish Kumar, R.
Vermeiren, L., Devlieghere, F., De Graef, V. & Debevere, J. *In vitro* and *in situ* growth characteristics and behaviour of spoilage organisms associated with anaerobically stored cooked meat products, 33
Villa, M. *see* Pina, C.
Villani, S. *see* Dacarro, C.
Vitorino, R. *see* Silva, J.
Vogensen, F.K. *see* Dupont, K.
Vohra, R.M. *see* Shafiani, S.

Wang, J.-J., Greenhut, W.B. & Shih, J.C.H. Development of an asporogenic *Bacillus licheniformis* for the production of keratinase, 761
Wang, T.-K. *see* Wong, H.-C.
Warnecke, M. *see* Ryan, U.
Weber-Dabrowska, B. *see* Dabrowska, K.
Wegkamp, A. *see* Smid, E.J.
von der Weid, I. *see* Korenblum, E.
Weinberg, Z.G. *see* Gollop, N.
Wesche, J., Hammer, E., Becher, D., Burchhardt, G. & Schauer, F. The *bphC* gene-encoded 2,3-dihydroxybiphenyl-1,2-dioxygenase is involved in complete degradation of dibenzofuran by the biphenyl-degrading bacterium *Ralstonia* sp. SBUG 290, 635
Whatmore, A.M. *see* Cutler, S.J.
Whitehead, T.R. *see* Farrar, M.D.
Whitlock, J.E. *see* Shehane, S.D.
Wijaya, A. *see* Yousif, N.M.K.
Wilkinson, B.J. *see* Davis, A.O.
Williams, A.P., Avery, L.M., Killham, K. & Jones, D.L. Persistence of *Escherichia coli* O157 on farm surfaces under different environmental conditions, 1075
Witthuhn, R.C., Engelbrecht, S., Joubert, E. & Britz, T.J. Microbial content of commercial South African high-moisture dried fruits, 722
Wolfaardt, G.M. *see* Du Plessis, K.R.
Wong, H.-C., Chen, C.-H., Chung, Y.-J., Liu, S.-H., Wang, T.-K., Lee, C.-L., Chiou, C.-S., Nishibuchi, M. & Lee, B.-K. Characterization of new O3:K6 strains and phylogenetically related strains of *Vibrio parahaemolyticus* isolated in Taiwan and other countries, 572
Woodward, M.J. *see* Delsol, A.A.
Woodward, M.J. *see* Randall, L.P.

Xiong, A.-S., Yao, Q.-H., Peng, R.-H., Han, P.-L., Cheng, Z.-M. & Li, Y. High level expression of a recombinant acid phytase gene in *Pichia pastoris*, 418

Yaghmaee, P. & Durance, T.D. Destruction and injury of *Escherichia coli* during microwave heating under vacuum, 498

Yamaguchi, N. *see* Ogawa, M.
Yamamoto, T. *see* Suzuki, M.
Yamazaki, K. *see* Suzuki, M.
Yao, H.J. & Tian, S.P. Effects of a biocontrol agent and methyl jasmonate on postharvest diseases of peach fruit and the possible mechanisms involved, 941
Yao, Q.-H. *see* Xiong, A.-S.
Yezerski, A., Cussatt, G., Glick, D. & Evancho, M. The effects of the presence of stored product pests on the microfauna of a flour community, 507
Yousif, N.M.K., Dawyndt, P., Abriouel, H., Wijaya, A., Schillinger, U., Vancanneyt, M., Swings, J., Dirar, H.A., Holzapfel, W.H. & Franz, C.M.A.P. Molecular characterization, technological properties and safety aspects of enterococci from 'Hussuwa', an African fermented sorghum product, 216
Zakin, V. *see* Gollop, N.
Zanardini, E. *see* Ranalli, G.
Zanetti, F. *see* Leoni, E.
Zgaga, Z. *see* Frece, J.
Zhang, X.-H. & Austin, B. A REVIEW: Haemolysins in *Vibrio* species, 1011
Zhuang, W.Q. *see* Ivanov, V.
Ziaee, A.-A. *see* Shahhoseini, M.
Zouari, N. *see* Ghribi, D.
Zschöck, M., Nesseler, A. & Sudarwanto, I. Evaluation of six commercial identification kits for the identification of *Staphylococcus aureus* isolated from bovine mastitis, 450
Zuzuarregui, A., Carrasco, P., Palacios, A., Julien, A. & del Olmo, M. Analysis of the expression of some stress induced genes in several commercial wine yeast strains at the beginning of vinification, 299